

**Table 1a: Estimated use values of agricultural land by jurisdiction.**

Use values are estimated for each of the eight Soil Conservation Service land capability classifications. Average values are reported for cropland (classes I - IV), pastureland (classes V - VII) and agricultural land (classes I - VII). /1/ Class VIII land is not included in the average use value of agricultural land because class VIII land is not considered suitable for agricultural purposes. The with risk values refers to land that is at risk of flooding. These values should only be used when the soil has poor drainage that is not remedied by tiling or drainage ditches or when the land lies in a floodplain.

Estimates apply to tax-year 2001

JURISDICTION		CROPLAND				Average Cropland I - IV	PASTURELAND			Average Pastureland V - VII	Average Ag. land I - VII	VIII
		I	II	III	IV		V	VI	VII			
-----DOLLARS-----												
County of--												
<b>Accomack</b>	w/out risk	800	720	530	430	<b>700</b>	320	270	160	<b>160</b>	<b>690</b>	50
	w/ risk	760	680	510	400	<b>660</b>	300	250	150	<b>150</b>	<b>660</b>	50
<b>Albemarle</b>	w/out risk	160	150	110	90	<b>120</b>	60	50	30	<b>40</b>	<b>100</b>	10
	w/ risk	150	140	100	80	<b>110</b>	60	50	30	<b>40</b>	<b>90</b>	10
<b>Alleghany</b>	w/out risk	420	380	280	230	<b>320</b>	170	140	80	<b>90</b>	<b>180</b>	30
	w/ risk	400	360	270	210	<b>300</b>	160	130	80	<b>90</b>	<b>170</b>	30
<b>Amelia</b>	w/out risk	720	650	480	390	<b>560</b>	290	240	140	<b>220</b>	<b>530</b>	50
	w/ risk	690	620	460	370	<b>540</b>	280	230	140	<b>210</b>	<b>510</b>	50
<b>Amherst</b>	w/out risk	170	150	110	90	<b>120</b>	70	60	30	<b>50</b>	<b>100</b>	10
	w/ risk	160	140	110	90	<b>120</b>	60	50	30	<b>40</b>	<b>100</b>	10
<b>Augusta</b>	w/out risk	670	610	450	360	<b>490</b>	270	220	130	<b>180</b>	<b>420</b>	40
	w/ risk	640	580	430	340	<b>470</b>	260	210	130	<b>170</b>	<b>400</b>	40
<b>Bedford</b>	w/out risk	310	280	210	160	<b>230</b>	120	100	60	<b>80</b>	<b>190</b>	20
	w/ risk	290	270	200	160	<b>220</b>	120	100	60	<b>80</b>	<b>190</b>	20
<b>Bland</b>	w/out risk	620	560	410	330	<b>430</b>	250	210	120	<b>170</b>	<b>290</b>	40
	w/ risk	590	530	390	320	<b>410</b>	240	200	120	<b>160</b>	<b>280</b>	40
<b>Botetourt</b>	w/out risk	640	580	430	340	<b>460</b>	260	210	130	<b>160</b>	<b>360</b>	40
	w/ risk	610	550	410	330	<b>440</b>	250	200	120	<b>150</b>	<b>340</b>	40
<b>Campbell</b>	w/out risk	310	280	210	170	<b>240</b>	120	100	60	<b>90</b>	<b>220</b>	20
	w/ risk	300	270	200	160	<b>230</b>	120	100	60	<b>90</b>	<b>220</b>	20
<b>Caroline</b>	w/out risk	780	710	520	420	<b>670</b>	310	260	160	<b>210</b>	<b>630</b>	50
	w/ risk	750	670	500	400	<b>640</b>	300	250	150	<b>200</b>	<b>590</b>	50
<b>Chesterfield 17/</b>	w/out risk	680	610	450	360	<b>n.a.</b>	270	230	140	<b>n.a.</b>	<b>n.a.</b>	50
	w/ risk	640	580	430	340	<b>n.a.</b>	260	210	130	<b>n.a.</b>	<b>n.a.</b>	40
<b>Clarke</b>	w/out risk	420	370	280	220	<b>300</b>	170	140	80	<b>100</b>	<b>260</b>	30
	w/ risk	400	360	260	210	<b>290</b>	160	130	80	<b>100</b>	<b>250</b>	30
<b>Culpeper</b>	w/out risk	530	480	350	280	<b>390</b>	210	180	110	<b>170</b>	<b>350</b>	40
	w/ risk	510	450	340	270	<b>370</b>	200	170	100	<b>160</b>	<b>330</b>	30
<b>Cumberland</b>	w/out risk	300	270	200	160	<b>210</b>	120	100	60	<b>80</b>	<b>180</b>	20
	w/ risk	290	260	190	150	<b>200</b>	120	100	60	<b>80</b>	<b>180</b>	20
<b>Dinwiddie</b>												
<b>Coastal Plain 5/</b>	w/out risk	660	590	440	350	<b>n.a.</b>	260	220	130	<b>n.a.</b>	<b>n.a.</b>	40
	w/ risk	620	560	420	330	<b>n.a.</b>	250	210	120	<b>n.a.</b>	<b>n.a.</b>	40

JURISDICTION		CROPLAND				Average Cropland I - IV	PASTURELAND			Average Pastureland V - VII	Average Ag. land I - VII	OTHER LAND VIII
		I	II	III	IV		V	VI	VII			
-----DOLLARS-----												
<b>Piedmont 6/</b>	w/out risk	340	310	230	180	n.a.	140	110	70	n.a.	n.a.	20
	w/ risk	320	290	220	170	n.a.	130	110	60	n.a.	n.a.	20
<b>Fairfax* 18/</b>	w/out risk	500	450	330	260	n.a.	200	170	100	n.a.	n.a.	30
	w/ risk	470	430	320	250	n.a.	190	160	90	n.a.	n.a.	30
<b>Fauquier</b>	w/out risk	390	350	260	210	<b>270</b>	160	130	80	<b>100</b>	<b>210</b>	30
	w/ risk	370	340	250	200	<b>260</b>	150	120	70	<b>90</b>	<b>200</b>	20
<b>Floyd</b>	w/out risk	550	500	370	300	<b>350</b>	220	180	110	<b>150</b>	<b>300</b>	40
	w/ risk	530	480	350	280	<b>330</b>	210	180	110	<b>150</b>	<b>290</b>	40
<b>Fluvanna</b>	w/out risk	220	200	150	120	<b>170</b>	90	70	40	<b>70</b>	<b>150</b>	10
	w/ risk	210	190	140	110	<b>160</b>	80	70	40	<b>70</b>	<b>140</b>	10
<b>Franklin</b>	w/out risk	260	240	180	140	<b>190</b>	110	90	50	<b>80</b>	<b>160</b>	20
	w/ risk	250	230	170	130	<b>180</b>	100	80	50	<b>70</b>	<b>150</b>	20
<b>Frederick</b>	w/out risk	320	290	210	170	<b>220</b>	130	110	60	<b>80</b>	<b>180</b>	20
	w/ risk	300	270	200	160	<b>210</b>	120	100	60	<b>80</b>	<b>170</b>	20
<b>Giles</b>	w/out risk	510	460	340	270	<b>320</b>	200	170	100	<b>130</b>	<b>180</b>	30
	w/ risk	490	440	320	260	<b>300</b>	190	160	100	<b>120</b>	<b>170</b>	30
<b>Gloucester</b>	w/out risk	560	510	380	300	<b>460</b>	230	190	110	<b>110</b>	<b>460</b>	40
	w/ risk	540	480	360	290	<b>440</b>	210	180	110	<b>110</b>	<b>430</b>	40
<b>Goochland</b>	w/out risk	440	400	300	240	<b>340</b>	180	150	90	<b>150</b>	<b>310</b>	30
	w/ risk	420	380	280	230	<b>320</b>	170	140	80	<b>140</b>	<b>290</b>	30
<b>Greene</b>	w/out risk	460	410	310	240	<b>330</b>	180	150	90	<b>130</b>	<b>280</b>	30
	w/ risk	440	390	290	230	<b>310</b>	170	150	90	<b>130</b>	<b>270</b>	30
<b>Halifax</b>	w/out risk	500	450	330	270	<b>390</b>	200	170	100	<b>140</b>	<b>340</b>	30
	w/ risk	480	430	320	250	<b>370</b>	190	160	100	<b>130</b>	<b>330</b>	30
<b>Hanover</b>												
<b>Coastal Plain- 15/</b>	w/out risk	790	710	530	420	n.a.	320	260	160	n.a.	n.a.	50
	w/ risk	750	680	500	400	n.a.	300	250	150	n.a.	n.a.	50
<b>Piedmont- 8/</b>	w/out risk	520	470	350	280	n.a.	210	170	100	n.a.	n.a.	30
	w/ risk	500	450	330	260	n.a.	200	170	100	n.a.	n.a.	30
<b>Henrico</b>												
<b>Coastal Plain 15/</b>	w/out risk	760	690	510	410	n.a.	310	250	150	n.a.	n.a.	50
	w/ risk	730	650	490	390	n.a.	290	240	150	n.a.	n.a.	50
<b>Piedmont 8/</b>	w/out risk	500	450	340	270	n.a.	200	170	100	n.a.	n.a.	30
	w/ risk	480	430	320	260	n.a.	190	160	100	n.a.	n.a.	30
<b>Henry</b>	w/out risk	150	130	100	80	<b>110</b>	60	50	30	<b>40</b>	<b>90</b>	10
	w/ risk	140	130	90	80	<b>110</b>	60	50	30	<b>40</b>	<b>90</b>	10
<b>Isle Of Wight</b>	w/out risk	580	520	380	310	<b>500</b>	230	190	120	<b>180</b>	<b>500</b>	40
	w/ risk	550	490	370	290	<b>480</b>	220	180	110	<b>170</b>	<b>470</b>	40
<b>James City</b>	w/out risk	570	520	380	310	<b>490</b>	230	190	110	<b>190</b>	<b>470</b>	40
	w/ risk	550	490	360	290	<b>460</b>	220	180	110	<b>180</b>	<b>440</b>	40

Table1a:2

JURISDICTION		CROPLAND				Average Cropland I - IV	PASTURELAND			Average Pastureland V - VII	Average Ag. land I - VII	OTHER LAND VIII
		I	II	III	IV		V	VI	VII			
-----DOLLARS-----												
King George	w/out risk	710	640	480	380	<b>630</b>	290	240	140	<b>170</b>	<b>560</b>	50
	w/ risk	680	610	450	360	<b>600</b>	270	230	140	<b>160</b>	<b>540</b>	50
King William	w/out risk	780	710	520	420	<b>690</b>	310	260	160	<b>210</b>	<b>660</b>	50
	w/ risk	750	670	500	400	<b>660</b>	300	250	150	<b>200</b>	<b>630</b>	50
Lancaster	w/out risk	760	690	510	410	<b>700</b>	310	250	150	<b>250</b>	<b>700</b>	50
	w/ risk	730	650	480	390	<b>670</b>	290	240	150	<b>240</b>	<b>660</b>	50
Loudoun	w/out risk	510	450	340	270	<b>380</b>	200	170	100	<b>150</b>	<b>330</b>	30
	w/ risk	480	430	320	260	<b>360</b>	190	160	100	<b>140</b>	<b>310</b>	30
Louisa	w/out risk	500	450	340	270	<b>400</b>	200	170	100	<b>160</b>	<b>380</b>	30
	w/ risk	480	430	320	260	<b>390</b>	190	160	100	<b>150</b>	<b>360</b>	30
Madison	w/out risk	840	760	560	450	<b>600</b>	340	280	170	<b>230</b>	<b>490</b>	60
	w/ risk	800	720	530	430	<b>570</b>	320	270	160	<b>220</b>	<b>460</b>	50
Middlesex	w/out risk	780	710	520	420	<b>720</b>	310	260	160	<b>180</b>	<b>690</b>	50
	w/ risk	750	670	500	400	<b>680</b>	300	250	150	<b>170</b>	<b>660</b>	50
Montgomery	w/out risk	970	870	640	510	<b>590</b>	390	320	190	<b>280</b>	<b>430</b>	60
	w/ risk	920	830	610	490	<b>570</b>	370	310	180	<b>270</b>	<b>410</b>	60
Nelson	w/out risk	140	130	90	80	<b>110</b>	60	50	30	<b>50</b>	<b>90</b>	10
	w/ risk	130	120	90	70	<b>100</b>	50	40	30	<b>40</b>	<b>80</b>	10
New Kent* 7/	w/out risk	580	520	380	310	<b>n.a.</b>	230	190	120	<b>n.a.</b>	<b>n.a.</b>	40
	w/ risk	550	490	370	290	<b>n.a.</b>	220	180	110	<b>n.a.</b>	<b>n.a.</b>	40
Northampton	w/out risk	690	620	460	370	<b>650</b>	280	230	140	<b>140</b>	<b>650</b>	50
	w/ risk	660	590	440	350	<b>620</b>	260	220	130	<b>130</b>	<b>620</b>	40
Northumberland	w/out risk	850	770	570	460	<b>770</b>	340	280	170	<b>250</b>	<b>740</b>	60
	w/ risk	810	730	540	430	<b>730</b>	330	270	160	<b>240</b>	<b>710</b>	50
Nottoway	w/out risk	350	310	230	180	<b>250</b>	140	120	70	<b>100</b>	<b>240</b>	20
	w/ risk	330	300	220	180	<b>240</b>	130	110	70	<b>90</b>	<b>230</b>	20
Orange	w/out risk	490	440	330	260	<b>370</b>	200	160	100	<b>140</b>	<b>320</b>	30
	w/ risk	470	420	310	250	<b>350</b>	190	160	90	<b>130</b>	<b>310</b>	30
Page	w/out risk	600	540	400	320	<b>470</b>	240	200	120	<b>170</b>	<b>440</b>	40
	w/ risk	570	520	380	310	<b>450</b>	230	190	110	<b>160</b>	<b>430</b>	40
Pittsylvania	w/out risk	410	370	270	220	<b>310</b>	160	140	80	<b>130</b>	<b>290</b>	30
	w/ risk	390	350	260	210	<b>290</b>	160	130	80	<b>120</b>	<b>280</b>	30
Powhatan	w/out risk	390	350	260	210	<b>310</b>	160	130	80	<b>120</b>	<b>290</b>	30
	w/ risk	370	330	250	200	<b>290</b>	150	120	70	<b>110</b>	<b>280</b>	20
Prince Edward	w/out risk	460	420	310	250	<b>350</b>	180	150	90	<b>120</b>	<b>300</b>	30
	w/ risk	440	400	290	230	<b>330</b>	180	150	90	<b>120</b>	<b>290</b>	30
Prince George	w/out risk	650	580	430	340	<b>550</b>	260	220	130	<b>210</b>	<b>540</b>	40
	w/ risk	620	550	410	330	<b>530</b>	250	210	120	<b>200</b>	<b>510</b>	40
Prince William	w/out risk	330	300	220	180	<b>240</b>	130	110	70	<b>100</b>	<b>230</b>	20
	w/ risk	320	290	210	170	<b>230</b>	130	110	60	<b>90</b>	<b>220</b>	20
Pulaski	w/out risk	580	520	380	310	<b>400</b>	230	190	120	<b>150</b>	<b>280</b>	40
	w/ risk	550	490	370	290	<b>380</b>	220	180	110	<b>140</b>	<b>260</b>	40

JURISDICTION		CROPLAND				Average Cropland I - IV	PASTURELAND			Average Pastureland V - VII	Average Ag. land I - VII	OTHER LAND VIII
		I	II	III	IV		V	VI	VII			
-----DOLLARS-----												
<b>Rappahannock</b>	w/out risk	600	540	400	320	<b>420</b>	240	200	120	<b>170</b>	<b>280</b>	40
	w/ risk	580	520	380	310	<b>400</b>	230	190	120	<b>160</b>	<b>270</b>	40
<b>Richmond</b>	w/out risk	800	720	530	430	<b>710</b>	320	270	160	<b>190</b>	<b>660</b>	50
	w/ risk	760	690	510	410	<b>680</b>	310	250	150	<b>180</b>	<b>630</b>	50
<b>Roanoke</b>	w/out risk	370	340	250	200	<b>270</b>	150	120	70	<b>100</b>	<b>210</b>	20
	w/ risk	350	320	240	190	<b>250</b>	140	120	70	<b>100</b>	<b>200</b>	20
<b>Rockbridge</b>	w/out risk	380	340	250	200	<b>270</b>	150	130	80	<b>100</b>	<b>220</b>	30
	w/ risk	360	330	240	190	<b>260</b>	140	120	70	<b>90</b>	<b>210</b>	20
<b>Rockingham</b>	w/out risk	950	850	630	510	<b>680</b>	380	320	190	<b>240</b>	<b>600</b>	60
	w/ risk	900	810	600	480	<b>650</b>	360	300	180	<b>220</b>	<b>570</b>	60
<b>Russell</b>	w/out risk	580	520	390	310	<b>360</b>	230	190	120	<b>140</b>	<b>180</b>	40
	w/ risk	550	500	370	290	<b>340</b>	220	180	110	<b>130</b>	<b>170</b>	40
<b>Shenandoah</b>	w/out risk	620	550	410	330	<b>440</b>	250	210	120	<b>150</b>	<b>360</b>	40
	w/ risk	590	530	390	310	<b>420</b>	230	200	120	<b>150</b>	<b>350</b>	40
<b>Smyth</b>	w/out risk	840	760	560	450	<b>580</b>	340	280	170	<b>230</b>	<b>400</b>	60
	w/ risk	800	720	530	430	<b>550</b>	320	270	160	<b>220</b>	<b>380</b>	50
<b>Spotsylvania</b>	w/out risk	510	460	340	270	<b>410</b>	200	170	100	<b>160</b>	<b>390</b>	30
	w/ risk	490	440	320	260	<b>400</b>	190	160	100	<b>150</b>	<b>370</b>	30
<b>Stafford</b>	w/out risk	470	420	310	250	<b>340</b>	190	160	90	<b>130</b>	<b>300</b>	30
	w/ risk	450	400	300	240	<b>330</b>	180	150	90	<b>130</b>	<b>290</b>	30
<b>Tazewell</b>	w/out risk	750	670	500	400	<b>480</b>	300	250	150	<b>190</b>	<b>300</b>	50
	w/ risk	710	640	480	380	<b>460</b>	290	240	140	<b>180</b>	<b>290</b>	50
<b>Warren</b>	w/out risk	150	130	100	80	<b>110</b>	60	50	30	<b>40</b>	<b>90</b>	10
	w/ risk	140	130	90	70	<b>100</b>	60	50	30	<b>40</b>	<b>90</b>	10
<b>Washington</b>	w/out risk	760	680	510	400	<b>520</b>	300	250	150	<b>190</b>	<b>370</b>	50
	w/ risk	720	650	480	380	<b>500</b>	290	240	140	<b>180</b>	<b>350</b>	50
<b>Westmoreland</b>	w/out risk	860	770	570	460	<b>760</b>	340	290	170	<b>210</b>	<b>730</b>	60
	w/ risk	820	740	550	440	<b>730</b>	330	270	160	<b>200</b>	<b>700</b>	50
<b>Wythe</b>	w/out risk	630	570	420	340	<b>440</b>	250	210	130	<b>160</b>	<b>360</b>	40
	w/ risk	600	540	400	320	<b>420</b>	240	200	120	<b>150</b>	<b>340</b>	40
<b>York</b>	w/out risk	570	520	380	310	<b>490</b>	230	190	110	<b>190</b>	<b>470</b>	40
	w/ risk	550	490	360	290	<b>460</b>	220	180	110	<b>180</b>	<b>440</b>	40
<b>City of--</b>												
<b>Buena Vista 21/</b>	w/out risk	370	330	240	190	<b>n.a.</b>	150	120	70	<b>n.a.</b>	<b>n.a.</b>	20
	w/ risk	350	310	230	190	<b>n.a.</b>	140	120	70	<b>n.a.</b>	<b>n.a.</b>	20
<b>Chesapeake City</b>	w/out risk	900	810	600	480	<b>600</b>	360	300	180	<b>180</b>	<b>590</b>	60
	w/ risk	850	770	570	460	<b>570</b>	340	280	170	<b>170</b>	<b>560</b>	60
<b>Danville 16/</b>	w/out risk	400	360	260	210	<b>n.a.</b>	160	130	80	<b>n.a.</b>	<b>n.a.</b>	30
	w/ risk	380	340	250	200	<b>n.a.</b>	150	130	80	<b>n.a.</b>	<b>n.a.</b>	30
<b>Franklin City 20/</b>	w/out risk	560	510	380	300	<b>n.a.</b>	230	190	110	<b>n.a.</b>	<b>n.a.</b>	40
	w/ risk	540	480	360	290	<b>n.a.</b>	220	180	110	<b>n.a.</b>	<b>n.a.</b>	40

Table1a:4

JURISDICTION		CROPLAND				Average Cropland I - IV	PASTURELAND			Average Pastureland V - VII	Average Ag. land I - VII	OTHER LAND
		I	II	III	IV		V	VI	VII			VIII
-----DOLLARS-----												
<b>Fredericksburg 8/</b>	w/out risk	490	440	330	260	n.a.	200	160	100	n.a.	n.a.	30
	w/ risk	470	420	310	250	n.a.	190	160	90	n.a.	n.a.	30
<b>Hampton 7/</b>	w/out risk	540	490	360	290	n.a.	220	180	110	n.a.	n.a.	40
	w/ risk	520	470	340	280	n.a.	210	170	100	n.a.	n.a.	30
<b>Harrisonburg 13/</b>	w/out risk	950	850	630	510	n.a.	380	320	190	n.a.	n.a.	60
	w/ risk	900	810	600	480	n.a.	360	300	180	n.a.	n.a.	60
<b>Lynchburg 9/</b>	w/out risk	290	260	190	150	n.a.	120	100	60	n.a.	n.a.	20
	w/ risk	270	250	180	150	n.a.	110	90	50	n.a.	n.a.	20
<b>Manassas 10/</b>	w/out risk	340	300	230	180	n.a.	140	110	70	n.a.	n.a.	20
	w/ risk	320	290	220	170	n.a.	130	110	60	n.a.	n.a.	20
<b>Newport News 7/</b>	w/out risk	550	490	360	290	n.a.	220	180	110	n.a.	n.a.	40
	w/ risk	520	470	350	280	n.a.	210	170	100	n.a.	n.a.	30
<b>Petersburg 5/</b>	w/out risk	600	540	400	320	n.a.	240	200	120	n.a.	n.a.	40
	w/ risk	570	510	380	300	n.a.	230	190	110	n.a.	n.a.	40
<b>Radford 11/</b>	w/out risk	970	870	640	520	n.a.	390	320	190	n.a.	n.a.	60
	w/ risk	920	830	610	490	n.a.	370	310	180	n.a.	n.a.	60
<b>Roanoke City 12/</b>	w/out risk	370	330	250	200	n.a.	150	120	70	n.a.	n.a.	20
	w/ risk	350	320	230	190	n.a.	140	120	70	n.a.	n.a.	20
<b>Staunton 14/</b>	w/out risk	640	570	430	340	n.a.	260	210	130	n.a.	n.a.	40
	w/ risk	610	550	410	320	n.a.	240	200	120	n.a.	n.a.	40
<b>Suffolk City</b>	w/out risk	540	480	360	290	<b>460</b>	210	180	110	<b>180</b>	<b>450</b>	40
	w/ risk	510	460	340	270	<b>440</b>	200	170	100	<b>170</b>	<b>430</b>	30
<b>Virginia Beach</b>	w/out risk	1030	930	690	550	<b>820</b>	410	340	210	<b>210</b>	<b>820</b>	70
	w/ risk	980	880	660	520	<b>780</b>	390	330	200	<b>200</b>	<b>780</b>	70
<b>Waynesboro 14/</b>	w/out risk	640	580	430	340	n.a.	260	210	130	n.a.	n.a.	40
	w/ risk	610	550	410	330	n.a.	250	200	120	n.a.	n.a.	40
<b>Winchester 19/</b>	w/out risk	320	290	210	170	n.a.	130	110	60	n.a.	n.a.	20
	w/ risk	300	270	200	160	n.a.	120	100	60	n.a.	n.a.	20

\* Use value taxation applies only within agricultural and forestal districts.

n.a. = not applicable because data are transferred-in, or data are not available to make estimate.

w/out risk = without risk. These estimates apply to land that is not at risk of flooding.

w/ risk = with risk. These estimates apply to land with poor drainage that is at risk of flooding. The methodology assumes that a complete crop loss occurs once every 20-years on land that is at risk of flooding.

1/ The use value of each land class is weighted by the total acreage of agricultural land in that class, as reported by the 1967 Virginia Conservation Needs Inventory, prior to averaging.

5/ Transfer-in data from Prince George County

7/ Transfer-in data from James City County.

9/ Transfer-in data from Bedford County.

11/ Transfer-in data from Montgomery County.

13/ Transfer-in data from Rockingham County.

15/ Transfer-in data from King William County.

17/ Transfer-in data from Amelia County.

19/ Transfer-in data from Frederick County.

21/ Transfer-in data from Rockbridge County.

6/ Transfer-in data from Nottoway County.

8/ Transfer-in data from Spotsylvania County.

10/ Transfer-in data from Prince William County.

12/ Transfer-in data from Roanoke County.

14/ Transfer-in data from Augusta County.

16/ Transfer-in data from Pittsylvania County.

18/ Transfer-in data from Loudon County.

20/ Transfer-in data from Isle of Wight County.